


GND	GND	S2	16	S2
VLED	NC1	1B	18	1B
S1	S1	1R	14	1R
VDH	VDH	1G	13	1G
S1R	S1	3R	12	3G
2B	SD	3G	11	3R
2R	7	3B	10	3B
2G	2G	2G	9	VLED2
		NC2		

U1

Title		
Size	Number	Revision
A2		
Date	2019/11/11	Sheet of
File	C:\Users\GSR210_AC220V(DC-24V)_R1\EP-29B26W_W1911A.SchDoc	



# Bill of Materials

<Parameter Title not found>

Source Data From: GS8210\_AC220V(DC24V)\_30L6P\_950L26W\_W19111A.PrjPCB  
 Project: GS8210\_AC220V(DC24V)\_30L6P\_950L26W\_W19111A.PrjPCB  
 Variant: None

Creation Date: 2019/11/11 11:39:03  
 Print Date: 43780 43780.48553

Footprint	Comment	LibRef	Designator	Description	Quantity
1UF/400V_2	400V/105/155	Cap	C1	Capacitor	1
1206C	103	CAP	C2	Capacitor	1
100uF/50V_2	100uF/50V	CAP	C3	Capacitor	1
00					
1206C	104	CAP	C22, C23, C24	Capacitor	3
SO-4	mb6s	Bridge1	D1	Full Wave Diode Bridge	1
5050LED	5050	16PIN	LED1, LED3, LED4, LED5, LED6, LED7, LED9, LED10, LED11, LED12, LED13, LED15, LED16, LED17, LED18, LED19, LED21, LED22, LED23, LED24, LED25, LED27, LED28, LED29, LED30, LED31, LED33, LED34, LED35, LED36	5050	30
SOT-23(NPN)D	A92	2N3906	Q1, Q2	PNP General Purpose Amplifier	2
1206R	470K	Res Semi	R1	Semiconductor Resistor	1
1206R	100K	Res Semi	R2	Semiconductor Resistor	1
1206r	200	Res1	R3, R6, R7, R10, R11, R14, R15, R17	Resistor	8
1206r	430	Res1	R5, R16, R33, R34	Resistor	4
1206R	20K	Res Semi	R21	Semiconductor Resistor	1
0805R	1K	Res1	R22, R23	Resistor	2
1206R	3k	Res1	R24	Resistor	1
sop16	GS8210	GS8219	U1		1
					58

Approved	Notes

